

Practice for exp test.doc



1. a) $5^{-1}(5^3 \cdot 5^2)$

$$\begin{aligned} &= \frac{1}{5}(125 - 25) \\ &= \frac{1}{5}(100) \\ &= 20 \end{aligned}$$

(b) $(25^{\frac{3}{2}} + 16^{\frac{1}{4}} - 32^{\frac{3}{5}} + 2)^{-\frac{1}{2}}$

$$\begin{aligned} &= (125 + 2 - 8 + 2)^{-\frac{1}{2}} \\ &= (121)^{-\frac{1}{2}} \\ &= \frac{1}{121^{\frac{1}{2}}} \\ &= \frac{1}{11} \end{aligned}$$

2. (a) $\frac{3^{5n+4} \times 81^{3-2n}}{27^{n+1}}$

$$\begin{aligned} &= \frac{3^{5n+4} \times (3^4)^{3-2n}}{(3^3)^{n+1}} \\ &= \frac{3^{5n+4} \times 3^{12-8n}}{3^{3n+3}} \\ &= \frac{3^{-3n+16}}{3^{3n+3}} = 3^{6n+19} \end{aligned}$$

(b) $\frac{(7x^{3a})^3}{7x^{9a}}$

$$\begin{aligned} &= \frac{343x^{9a}}{7x^{9a}} \\ &= 49 \end{aligned}$$

(c) $\left(\frac{32a^{10}b^{12}}{243a^5b^2} \right)^{\frac{3}{5}}$

$$\begin{aligned} &= \frac{32^{\frac{3}{5}}a^{\frac{30}{5}}b^{\frac{36}{5}}}{243^{\frac{3}{5}}a^{\frac{15}{5}}b^{\frac{6}{5}}} \\ &= \frac{8a^{\frac{15}{5}}b^{\frac{30}{5}}}{27} \\ &= \frac{8}{27}a^3b^6 \end{aligned}$$

$$\begin{aligned}
 \text{(f)} \quad & -b(2a^4b^3)^3(9a^2b) \\
 & \frac{-b(2a^4b^3)^3(9a^2b)}{(6a^5b)^2} \\
 & \frac{-b(8a^{12}b^9)(9a^2b)}{36a^{10}b^2} \\
 & -\frac{432a^{14}b^{10}}{36a^{10}b^2} = 12a^4b^8
 \end{aligned}$$

$$\begin{aligned}
 \text{(e)} \quad & \frac{x^5 \cdot x^{2n}}{(x^2)^{n+1}} \\
 & \frac{x^{2n+5}}{x^{2n+2}} \\
 & = x^{(2n+5)-(2n+2)} \\
 & = x^3
 \end{aligned}$$

$$3. (a) 64^{x-1} = 32^{2x-3}$$

$$(2^6)^{x-1} = (2^5)^{2x-3}$$

$$2^{6x-6} = 2^{10x-15}$$

$$\therefore 6x-6 = 10x-15$$

$$-4x = 9$$

$$x = \frac{9}{4}$$

$$(b) 81^{5x+3} > (\sqrt[4]{3})^x$$

$$(3^4)^{2x+3} = (3^{\frac{1}{4}})^x$$

$$3^{8x+12} = 3^{\frac{1}{4}x}$$

$$8x+12 = \frac{1}{4}x$$

$$32x + 48 = 1x$$

$$31x = -48$$

$$x = \frac{-48}{31}$$

$$(c) 25^{5x-4} = \frac{1}{125}$$

$$(5^2)^{5x-4} = \frac{1}{5^3}$$

$$5^{10x-8} = 5^{-3}$$

$$10x-8 = -3$$

$$10x = 5$$

$$x = \frac{1}{2}$$

$$(d) 36^{x^2-8} = 6^{4x-4}$$

$$(6^2)^{x^2-8} = 6^{11x-4}$$

$$6^{2x^2-16} = 6^{11x-4}$$


$$2x^2-16 = 11x-4$$

$$2x^2-11x-12=0$$

quad formula

$$\begin{aligned}4. \quad P &= 6570(1.023)^t \\&= 6570(1.023)^{97} \\&= 59635.1\end{aligned}$$

$$\begin{aligned}5. \quad V &= 15600(0.82)^t \\&= 15600(0.82)^5 \\&= 5783.54\end{aligned}$$



$$7. V = 32500(0.92)^{\frac{t}{5}} \\ = 32500(0.92)^{\frac{4}{5}} \\ \approx 27508$$

$$8. M = 70\left(\frac{1}{2}\right)^{\frac{t}{20}} \quad \begin{array}{l} 4 \text{ hrs} = \\ 240 \text{ min} \end{array} \\ = 70\left(\frac{1}{2}\right)^{\frac{240}{20}} \\ \approx 0.017 \text{ mg}$$

$$9. B = 12(3)^{\frac{t}{5}} \\ = 12(3)^{\frac{3}{5}} \\ \approx 18.6$$

10. $y = 2(3)^{-\frac{(x+4)}{5}}$

VR x	HR ✓	Domain $x \in \mathbb{R}$
VS 2	HS -	Range $y > -5$
VT D5	HR h4	$y\text{-int } 2(3)^{\frac{(0+4)}{5}} - 5$

HA $y = -5$

$$\begin{aligned} &= 2(3)^{-4} - 5 \\ &= 2/81 - 5 \\ &= -4.975 \\ &\text{HA } y = -5 \end{aligned}$$

11. $y = -4\left(\frac{1}{2}\right)^{x-3} + 5$

Domain $x \in R$

VR ✓ HR ✗

VS 4 HS ✗

VT Up II HT R3

Range $y < 5$ (flips vertically)

y-int: $-4\left(\frac{1}{2}\right)^{0-3} + 5 \quad HA y = 5$

$-4\left(\frac{1}{2}\right)^{-3} + 5$

$-4(2)^3 + 5$

$-32 + 5 = -27$

12. $y = -6(2)^{-3x-6} + 11$
 $y = -6(2)^{-3(x+2)} + 11$

VR ✓ HR ✓

VS 6 HS Y3

VT Up II HT L2

(b) Domain $x \in R$ Range $y < 11$ (VR)

y-int $-6(2)^{-3(0)-6} + 11$

$-6(2)^{-6} + 11$

$\frac{-6}{64} + 11$
 10.9

HA $y = 11$

$$13. \quad y = 4^{x+2} - 9$$

VR x HR x

VS x HS

VT D9 HT L2


HA $y = -9$

$$\begin{aligned} y\text{-int: } & 4^{0+2} - 9 \\ & = +16 - 9 \\ & = 7 \end{aligned}$$

$$(x, y) \rightarrow (x-2, y-9)$$

$$y = 4^x$$

x	y	x	y
-2	1/16	-4	-8.9375
-1	1/4	-3	-8.75
0	1	-2	-8
1	4	-1	-5
2	16	0	7



14. $y = -\left(\frac{1}{3}\right)^{x-1} + 7$


VR✓ HR✗
 VS - HS
 VT up↑ HT RI
 HA $y = 7$
 $y\text{-int } -\left(\frac{1}{3}\right)^0 + 7$
 $= 4$

$y = \left(\frac{1}{3}\right)^x$

x	y
-2	9
-1	3
0	1
1	0.3
2	0.111

$y = -\left(\frac{1}{3}\right)^{x-1} + 7$
 $(x, y) \rightarrow (x+1, -y+7)$

x	y
-1	-2
0	4
1	6
2	6.7
3	6.9



Attachments

Practice for exp test.doc