

Warm Up

Sep. 14

1. Order the following radicals from least to greatest use calculator

$\sqrt{22} \approx 4.7$	$\sqrt[3]{-10} \approx -2.1$	$\sqrt[4]{256}$	$\sqrt[5]{-32} = -2$
■	■	■	■

$\sqrt{22}$
 $\sqrt[3]{-10}$, $\sqrt[5]{-32}$, $\sqrt[4]{256}$

2. Reduce each radical: show work

a) $\sqrt{128}$ largest perfect square ■

$$= \sqrt{64 \times 2}$$

$$= \sqrt{64} \times \sqrt{2}$$

$$= 8\sqrt{2}$$

b) $\sqrt[3]{162}$ ■

$$= \sqrt[3]{27 \times 6}$$

$$= \sqrt[3]{27} \times \sqrt[3]{6}$$

$$= 3\sqrt[3]{6}$$

$$\sqrt{128}$$

$$\sqrt{16 \times 8}$$

$$\sqrt{16} \times \sqrt{8}$$

$$4\sqrt{8}$$

does this reduce 4x2

$$4\sqrt{4 \times 2}$$

$$4\sqrt{4} \times \sqrt{2}$$

$$4 \times 2 \times \sqrt{2}$$

$$8\sqrt{2}$$

homework solutions

Grade 10

Page 218

Questions 4, 7a, 8a, 9, 10, 11

$$\begin{aligned}4a) \sqrt{8} &= \sqrt{(4)(2)} \\ &= \sqrt{4} \sqrt{2} \\ &= 2\sqrt{2}\end{aligned}$$

$$\begin{aligned}4b) \sqrt{12} &= \sqrt{(4)(3)} \\ &= \sqrt{4} \sqrt{3} \\ &= 2\sqrt{3}\end{aligned}$$

$$\begin{aligned}4c) \sqrt{32} &= \sqrt{(16)(2)} \\ &= \sqrt{16} \sqrt{2} \\ &= 4\sqrt{2}\end{aligned}$$

$$\begin{aligned}4d) \sqrt{50} &= \sqrt{(25)(2)} \\ &= \sqrt{25} \sqrt{2} \\ &= 5\sqrt{2}\end{aligned}$$

$$\begin{aligned}4e) \sqrt{18} &= \sqrt{(9)(2)} \\ &= \sqrt{9} \sqrt{2} \\ &= 3\sqrt{2}\end{aligned}$$



$$\begin{aligned}4f) \sqrt{27} &= \sqrt{(9)(3)} \\ &= \sqrt{9} \sqrt{3} \\ &= 3\sqrt{3}\end{aligned}$$

$$\begin{aligned}4g) \sqrt{48} &= \sqrt{(16)(3)} \\ &= \sqrt{16} \sqrt{3} \\ &= 4\sqrt{3}\end{aligned}$$

$$\begin{aligned}4h) \sqrt{75} &= \sqrt{(25)(3)} \\ &= \sqrt{25} \sqrt{3} \\ &= 5\sqrt{3}\end{aligned}$$

homework solutions

7. a) Use the diagram to explain why $\sqrt{45} = 3\sqrt{5}$.




$$\begin{aligned}
 c^2 &= a^2 + b^2 \\
 c &= \sqrt{a^2 + b^2} \\
 &= \sqrt{6^2 + 3^2} \\
 &= \sqrt{36 + 9} \\
 c &= \sqrt{45}
 \end{aligned}$$

b) Use algebra to verify that $\sqrt{45} = 3\sqrt{5}$.

$$\sqrt{45} =$$



=

=




homework solutions

8. a) Use the diagram to explain why $\sqrt{40} = 2\sqrt{10}$.



$$\begin{aligned}c &= \sqrt{a^2 + b^2} \\ &= \sqrt{6^2 + 2^2} \\ &= \sqrt{36 + 4} \\ c &= \sqrt{40}\end{aligned}$$

b) Use algebra to verify that $\sqrt{40} = 2\sqrt{10}$.



homework solutions

9) Rewriting $\sqrt{50}$ as $\sqrt{25} \cdot \sqrt{2}$ helps you simplify $\sqrt{50}$ since you can take the square root of the perfect square 25. You cannot take the square root of either 10 or 5 so rewriting $\sqrt{50}$ as $\sqrt{10} \cdot \sqrt{5}$ does not help. You need one number to be a perfect square number.

$$\begin{aligned} 10a) \quad \sqrt{90} &= \sqrt{(9)(10)} \\ &= \sqrt{9} \cdot \sqrt{10} \\ &= \boxed{3\sqrt{10}} \end{aligned}$$

$$\begin{aligned} 10b) \quad \sqrt{73} &= \sqrt{(9)(7)} \\ &= \sqrt{9} \cdot \sqrt{7} \\ &= \boxed{3\sqrt{7}} \end{aligned}$$

$$\begin{aligned} 10c) \quad \sqrt{108} &= \sqrt{(36)(3)} \\ &= \sqrt{36} \cdot \sqrt{3} \\ &= \boxed{6\sqrt{3}} \end{aligned}$$

$$\begin{aligned} 10d) \quad \sqrt{600} &= \sqrt{(100)(6)} \\ &= \sqrt{100} \cdot \sqrt{6} \\ &= \boxed{10\sqrt{6}} \end{aligned}$$

$$\begin{aligned} 10e) \quad \sqrt{54} &= \sqrt{(9)(6)} \\ &= \sqrt{9} \cdot \sqrt{6} \\ &= \boxed{3\sqrt{6}} \end{aligned}$$

$$10f) \quad \sqrt{91}$$

Already in simplest form.

homework solutions

$$\begin{aligned}
 10g) \quad \sqrt{28} &= \sqrt{(4) \cdot (7)} \\
 &= \sqrt{4} \cdot \sqrt{7} \\
 &= \boxed{2\sqrt{7}}
 \end{aligned}$$

$$\begin{aligned}
 10h) \quad \sqrt{33} \\
 \text{Already in simplest form}
 \end{aligned}$$

$$\begin{aligned}
 10i) \quad \sqrt{112} &= \sqrt{(16) \cdot (7)} \\
 &= \sqrt{16} \cdot \sqrt{7} \\
 &= \boxed{4\sqrt{7}}
 \end{aligned}$$

$$\begin{aligned}
 * 11a) \quad \sqrt[3]{16} &= \sqrt[3]{(8)(2)} \\
 &= \sqrt[3]{8} \cdot \sqrt[3]{2} \\
 &= \downarrow 2 \sqrt[3]{2}
 \end{aligned}$$

$$\begin{aligned}
 * 11b) \quad \sqrt[3]{81} &= \sqrt[3]{(27)(3)} \\
 &= \sqrt[3]{27} \cdot \sqrt[3]{3} \\
 &= \downarrow 3 \sqrt[3]{3}
 \end{aligned}$$

$$\begin{aligned}
 * 11c) \quad \sqrt[3]{256} &= \sqrt[3]{(64)(4)} \\
 &= \sqrt[3]{64} \cdot \sqrt[3]{4} \\
 &= \downarrow 4 \sqrt[3]{4}
 \end{aligned}$$

$$\begin{aligned}
 11d) \quad \sqrt[3]{128} &= \sqrt[3]{(64) \cdot (2)} \\
 &= \sqrt[3]{64} \cdot \sqrt[3]{2} \\
 &= 4 \sqrt[3]{2}
 \end{aligned}$$

homework solutions

11e) $\sqrt[3]{60} =$

Already in Simplest form

11f) $\sqrt[3]{192} = \sqrt[3]{(64)(3)}$

$= \sqrt[3]{64} \cdot \sqrt[3]{3}$

$= 4 \sqrt[3]{3}$

11g) $\sqrt[3]{135} = \sqrt[3]{(27)(5)}$

$= \sqrt[3]{27} \cdot \sqrt[3]{5}$

$= 3 \sqrt[3]{5}$

11h) $\sqrt[3]{100} =$

Already in Simplest form

11i) $\sqrt[3]{500} = \sqrt[3]{(125)(4)}$

$= \sqrt[3]{125} \cdot \sqrt[3]{4}$

$= 5 \sqrt[3]{4}$

11j) $\sqrt[3]{375} = \sqrt[3]{(125)(3)}$

$= \sqrt[3]{125} \cdot \sqrt[3]{3}$

$= 5 \sqrt[3]{3}$

Use either prime factorization or product of n^{th} factors

2. Write each radical in simplest form, if possible.

$$\sqrt{30}$$

Done

a) $\sqrt{30}$


b) $\sqrt[3]{32}$

c) $\sqrt[4]{48}$

$$\sqrt[3]{32}$$

$$\sqrt{8 \times 4}$$

$$\sqrt[3]{8} \times \sqrt[3]{4}$$



d) $\sqrt[3]{375}$

$$2 \sqrt[3]{4}$$

Mixed to Entire

Express as a
reduced
mixed radical.

$$5\sqrt{18}$$

Entire Radicals
(mixed \Rightarrow entire)

mixed	entire
$a^n \sqrt{b}$	$\sqrt{(a^n) \cdot b}$

Express as an entire radical.

$$\begin{aligned} & 3\sqrt{5} \\ &= \sqrt{3^2 \times 5} \\ &= \sqrt{9 \times 5} \\ &= \sqrt{45} \end{aligned}$$

Express as an entire radical.

$$\begin{aligned} & 2^4 \sqrt{7} \\ &= \sqrt[4]{2^4 \times 7} \\ &= \sqrt[4]{16 \times 7} \\ &= \sqrt[4]{112} \end{aligned}$$

Mixed to Entire

$$\begin{aligned} & 3\sqrt[5]{2} \\ &= \sqrt[5]{3^5 \times 2} \\ &= \sqrt[5]{243 \times 2} \\ &= \sqrt[5]{486} \end{aligned}$$

$$\begin{aligned} & 7\sqrt[3]{-4} \\ &= \sqrt[3]{7^3 \times (-4)} \\ &= \sqrt[3]{343 \times -4} \\ &= \sqrt[3]{-1372} \end{aligned}$$

$$\begin{aligned} & 2\sqrt[4]{5} \\ &= \sqrt[4]{2^4 \times 5} \\ &= \sqrt[4]{16 \times 5} \\ &= \sqrt[4]{80} \end{aligned}$$

1

Can this number be simplified?



A

Yes

B

No

b) $\sqrt{13}$
No

$$\begin{aligned} &\sqrt{27} \\ &\sqrt{9 \times 3} \\ &\sqrt{9} \times \sqrt{3} \\ &3\sqrt{3} \end{aligned}$$



Quiz Outline
 3) Entire to Mix **Homework**


Quiz Friday Sept. 16

$$\begin{aligned} & \sqrt[3]{250} \\ &= \sqrt[3]{125 \times 2} \\ &= \sqrt[3]{125} \times \sqrt[3]{2} \\ &= 5 \sqrt[3]{2} \end{aligned}$$

Page: 218-219



Quiz Outline

- 1) Evaluate w calculator $\sqrt[3]{2197}$
- 2) Estimate Show work



#4 Quiz Questions: Mix → Entire

$$\begin{aligned} & \sqrt[3]{4^5} \\ &= \sqrt[3]{(4^4) \times 4} \\ & \sqrt[4]{\quad} \end{aligned}$$



7 (b)

8 (b)

10 (a, e)

11 (e, g, i)

12 (b, d, f, h, j)

13

14

15

17 a, c

18 a, c