



Warm Up



Domain:
 $\{x \mid -7 \leq x, x \in \mathbb{R}\}$

Range:
 $\{y \mid 4 \leq y, y \in \mathbb{R}\}$

Function/Non-function:

Discrete/Continuous:

$$f(x) = 3x^2 + 7$$

a) $f(-2)$

$$f(x) = 3x^2 + 7$$

$$f(-2) = 3(-2)^2 + 7$$

$$= 3 \cdot (4) + 7$$

$$= 12 + 7$$

$$f(-2) = 19$$

b) $f(x) = 82$

$$f(x) = 3x^2 + 7$$

$$82 = 3x^2 + 7$$

Rearrange and solve for x

$$82 - 7 = 3x^2 + 7 - 7$$

$$\frac{75}{3} = \frac{3x^2}{3}$$

$$25 = x^2$$

$$\sqrt{25} = \sqrt{x^2}$$

$$\boxed{\pm 5 = x}$$

Domain

$$\{x \mid _ \leq x \leq _, x \in _ \}$$

Range

$$\{y \mid _ \leq y \leq _, y \in _ \}$$

1) a b e f g h

2) a) c d

Quiz Time if no questions from HW

Explain Next page before
going onto quiz

Page 272:

Questions: 14 to 19

After the Quiz Work on worksheet

CHECKPOINT 1

Connections

Here is a Frayer model for a function.

Function

<p>Definition</p> <p>A function is a relation where each element in the first set is associated with exactly one element in the second set.</p>	<p>Essential Characteristics</p> <p>The domain is the set of first elements in the ordered pairs. These are the values of the independent variable.</p> <p>The range is the set of second elements in the ordered pairs. These are the values of the dependent variable.</p>																				
<p>Example</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr><th><i>x</i></th><th><i>y</i></th></tr> </thead> <tbody> <tr><td>0</td><td>4</td></tr> <tr><td>1</td><td>5</td></tr> <tr><td>2</td><td>6</td></tr> <tr><td>3</td><td>7</td></tr> </tbody> </table> <p>{(0, 4), (1, 5), (2, 6), (3, 7)}</p> <p style="text-align: center;">plus 4 equals →</p>	<i>x</i>	<i>y</i>	0	4	1	5	2	6	3	7	<p>Non-examples</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr><th>Number of Faces</th><th>Object</th></tr> </thead> <tbody> <tr><td>4</td><td>triangular pyramid</td></tr> <tr><td>5</td><td>square pyramid</td></tr> <tr><td>6</td><td>cube</td></tr> <tr><td>6</td><td>rectangular prism</td></tr> </tbody> </table> <p>{(4, triangular pyramid), (5, square pyramid), (6, cube), (6, rectangular prism)}</p> <p style="text-align: center;">is the number of faces on a →</p>	Number of Faces	Object	4	triangular pyramid	5	square pyramid	6	cube	6	rectangular prism
<i>x</i>	<i>y</i>																				
0	4																				
1	5																				
2	6																				
3	7																				
Number of Faces	Object																				
4	triangular pyramid																				
5	square pyramid																				
6	cube																				
6	rectangular prism																				

Concept Development

■ **In Lesson 5.1**

- You described a relation in words and represented it using: a set of ordered pairs, an arrow diagram, a table, and a bar graph.

■ **In Lesson 5.2**

- You identified a function by checking to see whether its ordered pairs had different first elements.
- You listed the elements of the domain and of the range.
- You related the elements of the domain to the independent variable and the elements of the range to the dependent variable.
- You described functions in words, and algebraically using function notation.

Assess Your Understanding

5.1

1. Copy and complete this table for different representations of relations.

	Description in Words	Set of Ordered Pairs	Arrow Diagram	Table or Graph										
a)		{(skin, drum), (skin, kayak), (bark, basket), (stone, inukshuk), (stone, carving)}												
b)				<table border="1"> <thead> <tr> <th>Number</th> <th>Number of Factors</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> </tr> <tr> <td>2</td> <td>2</td> </tr> <tr> <td>3</td> <td>2</td> </tr> <tr> <td>4</td> <td>3</td> </tr> </tbody> </table>	Number	Number of Factors	1	1	2	2	3	2	4	3
Number	Number of Factors													
1	1													
2	2													
3	2													
4	3													
c)			<p>is usually coloured</p> <pre> graph LR subgraph A grass sea sky snow end subgraph B blue green white end grass --> green sea --> blue sky --> blue snow --> white </pre>											
d)	For the numbers 1 to 4, the first number in an ordered pair is greater than the second number.													

5.2

2.
 - a) Which relations in question 1 are functions? Justify your answers.
 - b) State the domain and range of each function.
3.
 - a) Think about two sets of numbers and an association.
 - i) Create a relation that is not a function.
 - ii) Create a function.
 - b) Represent each relation in part a in different ways.
4. The temperature, T degrees Celsius, of Earth's interior is a function of the distance, d kilometres, below the surface: $T(d) = 10d + 20$
 - a) Identify the dependent and independent variables.
 - b) Write this function as an equation in two variables.
 - c) Determine the value of $T(5)$. Describe what this number represents.
 - d) Determine the value of d when $T(d) = 50$. Describe what this number represents.



Work sheet Nov. 16

$$m(x) = 3x^2 - 4$$

$$a(x) = \frac{5x-4}{2}$$

$$t(x) = \frac{1}{2}x + 2(x-3)$$

$$h(x) = (2x-3) + (4x-1)$$

- a) $m(2) + m(7)$ b) $t(a(4))$ c) $m(a(t(h(1))))$
 d) $h(t(a(m(1))))$ e) $t(10)$ f) $a(-8)$
 g) $m(7) - t(-4)$ h) $h(0)$ i) $m(3) + a(2) + t(20) - h(4)$
 j) $m\left(\frac{1}{3}\right)$.

Using the same functions, determine the x value.

a) $h(x) = 116$

b) $t(x) = 94$

c) $a(x) = 53$

d) $m(x) = 359$

e) $t(x) = 154$

f) $a(x) = 118$

Attachments

FunctionNotationWorksheet.pdf