



## Warm Up Grade 8

Oct. 18, 2019

**Copy this down**

- 1) Find the missing value for the ordered pairs of  $y = 2x - 7$   
( show work)

 $x, y$ 

a)  $(-2, \underline{\hspace{1cm}})$

Given

$x = -2$

$$\begin{aligned}y &= 2x - 7 \\y &= 2(-2) - 7 \\y &= -4 - 7 \\y &= (-4) + (-7)\end{aligned}$$

$y = -11$

$(-2, -11)$

b)  $(\underline{x}, 29)$

Given  $y = 29$ 

$y = 2x - 7$

$29 = 2x - 7$

isolate

$29 + 7 = 2x - 7 + 7$

$\frac{36}{2} = \frac{2x}{2}$

$18 = x$

$(18, 29)$

 $29)$

4a)  $y = x + 1$

Input	Output
1	2
2	3
3	4
4	5
5	6

$$(x) + 1$$

$n=1$        $\{ n=2 \}$        $\{ n=3 \}$

b)  $y = x + 3$

Input	Output
1	4
2	5
3	6
4	7
5	8

$$x+3$$

$x=1$        $\{ x=2 \}$        $\{ x=3 \}$   
 $(1)+3$        $(2)+3$        $(3)+3$   
 4            5            6

c)  $y = 2x$

Input	Output
1	2
2	4
3	6
4	8
5	10

5. a)  $y = 2x + 1$

Input	Output
x	y
1	3
2	5
3	7
4	9
5	11

b)  $y = 2x - 1$

Input	Output
x	y
1	1
2	3
3	5
4	7
5	9

$$\begin{aligned} 2(x) - 1 \\ 2(1) - 1 \\ 2 - 1 \\ 1 \end{aligned}$$

$$\begin{aligned} 2(2) - 1 \\ 4 - 1 \\ 3 \end{aligned}$$

$$\begin{aligned} 2(3) - 1 \\ 6 - 1 \\ 5 \end{aligned}$$

c)  $y = -2x + 1$

Input	Output
x	y
1	-1
2	-3
3	-5
4	-7
5	-9

$$\begin{aligned} -2(1) + 1 \\ -2 + 1 \\ -1 \end{aligned}$$

$$\begin{aligned} -2(2) + 1 \\ -4 + 1 \\ -3 \end{aligned}$$

$$\begin{aligned} -2(3) + 1 \\ -6 + 1 \\ -5 \end{aligned}$$

## b. ordered pairs

Input	Output
x	y
0	-7
1	2
2	11
3	20
4	29
5	38

$$y = 9x - 7$$

$$38 = 9x - 7 \quad \text{or}$$

$$38 + 7 = 9x - 7 + 7$$

$$45 = 9x$$

$$\frac{45}{9} = x$$

$$y = 9x - 7$$

$$x = 2$$

$$9(1) - 7$$

$$9x2 - 7$$

$$18 - 7$$

$$11$$

$$x = 4$$

$$9x4 - 7$$

$$36 - 7$$

$$29$$

see if pattern  
continues

$$9x5 - 7$$

$$45 - 7$$

$$38$$

7.  $w = 7h$

Input	Output
h	$7h$
1	7
2	14
3	21
4	28
5	35

$$7 \times 1$$

$$7 \times 2$$

$$7 \times 3$$

$$7 \times 4$$

Input	Output

b)  $7h = 105$

$$\frac{7h}{7} = \frac{105}{7}$$

$$h = 15$$

c)  $h = 24$

$$w = 7h$$

$$= 7 \times 24$$

$$= \$168$$

8a)  $y = x + 2$



Input	Output
1	3
-3	-1
-2	0
-1	1
0	2
1	3
2	4
3	5

Input	Output

b)  $y = x - 3$

Input	Output
1	4
-3	-6
-2	-5
-1	-4
0	-3
1	-2
2	-1
3	0

c)  $y = x + 4$

Input	Output
1	5
-3	1
-2	2
-1	3
0	4
1	5
2	6
3	7

*pg 357*

a)  $y = -2x + 3$

Input	Output
0	3
1	1
2	-1
3	-3
4	-5
5	-7

b)  $y = -5x - 4$

Input	Output
0	-4
1	-9
2	-14
3	-19
4	-24
5	-29

c)  $y = 8x - 3$

Input	Output
0	-3
1	5
2	13
3	21
4	29
5	37

10)  $y = -3x + 5$

Input $x$	Output $y$
-3	14
-1	8
1	2
3	-4
5	-10
7	-16

ordered pairs

$$\begin{aligned} x &= 1 \\ y &= -3 \times 1 + 5 \\ &= -3 + 5 \\ &= 2 \end{aligned}$$

$$\begin{aligned} x &= 5 \\ y &= -3 \times 5 + 5 \\ &= -15 + 5 \\ &= -10 \end{aligned}$$

$$\begin{aligned} -16 &= -3x + 5 \\ -16 - 5 &= -3x + 5 - 5 \\ -21 &= -3x \\ \frac{-21}{-3} &= \frac{-3x}{-3} \\ 7 &= x \end{aligned}$$

1) a)  $y = -2x + 7$

a) (-8, -)

$$\begin{aligned} y &= -2x - 8 + 7 \\ y &= \underline{\underline{-16}} + 7 \\ y &= 23 \end{aligned}$$

b) (12, -)

$$\begin{aligned} y &= -2x + 12 + 7 \\ y &= -24 + 7 \\ y &= -17 \end{aligned}$$

c) ( , 31)

$$\begin{aligned} 31 &= -2x + 7 \\ 31 - 7 &= -2x + 7 - 7 \\ 24 &= -2x \\ \frac{24}{2} &= \frac{-2x}{2} \\ -12 &= x \end{aligned}$$

d) ( , -23)

$$\begin{aligned} -23 &= -2x + 7 \\ -23 - 7 &= -2x + 7 - 7 \\ -30 &= -2x \\ \frac{-30}{-2} &= \frac{-2x}{-2} \\ 15 &= x \end{aligned}$$

2. m = 100 - 2n

n	100 - 2n
0	100
5	90
10	80
15	70
20	60
25	50

(b)  $\rightarrow$  after 20 weeks  
he will have a mass  
of 60kg

b)  $100 - 2n = 60$

$$100 - \underline{\underline{2n}} - 100 = 60 - 100$$

$$-2n = -40$$

$$\frac{-2n}{-2} = \frac{-40}{-2}$$

$$n = 20$$

In 20 months  
he will have  
reached 60kg

c) n = 7,  $100 - 2n$

$$\begin{aligned} 100 - 2 \times 7 \\ 100 - 14 \\ 86 \end{aligned}$$

On his 5-day  
his mass was  
86kg

$$\text{B. a) } m = 9t$$

$m \rightarrow$  multiples of 9

$t \rightarrow$  the number you multiply by

$m$	
Input $t$	Output $9t$
0	0
1	9
2	18
3	27
4	36
5	45

i) numbers go up by 9

A number is divisible by 9 if the sum of the digits is a multiple of 9.

$$\text{a) } 126 \rightarrow 1+2+6=9$$

so yes 126 is divisible by 9.

c) 17<sup>th</sup> multiple of 9

$$17 \times 9 = 153$$

## **Extra Practice 6**

**Lesson 6.6: Creating a Table of Values**

- Copy and complete each table of values.
  - $y = 3x + 7$
  - $y = 2x - 2$
  - $y = -5x + 4$

x	y
1	10
2	13
3	16
4	19
5	22

x	y
1	0
2	2
3	4
4	6
5	8

x	y
1	-1
2	-6
3	-11
4	-16
5	-21

$x=1$   
 $3x+7$   
 $3(1)+7$   
 $3+7$   
 $10$

$x=2$   
 $3x+7$   
 $3(2)+7$   
 $6+7$   
 $13$

$x=3$   
 $3x+7$   
 $3(3)+7$   
 $9+7$   
 $16$

$x=4$   
 $3x+7$   
 $3(4)+7$   
 $12+7$   
 $19$

$x=5$   
 $3x+7$   
 $3(5)+7$   
 $15+7$   
 $22$

$2x-2$   
 $2(1)-2$   
 $2-2$   
 $0$

$2x-2$   
 $2(2)-2$   
 $4-2$   
 $2$

$2x-2$   
 $2(3)-2$   
 $6-2$   
 $4$

$2x-2$   
 $2(4)-2$   
 $8-2$   
 $6$

$2x-2$   
 $2(5)-2$   
 $10-2$   
 $8$

$-5x+4$   
 $-5(1)+4$   
 $-5+4$   
 $-1$

$-5x+4$   
 $-5(2)+4$   
 $-10+4$   
 $-6$

$-5x+4$   
 $-5(3)+4$   
 $-15+4$   
 $-11$

$5x+8$   
 $5(-1)+8$   
 $-5+8$   
 $3$

$5x+8$   
 $5(-2)+8$   
 $-10+8$   
 $-2$

$5x+8$   
 $5(-3)+8$   
 $-15+8$   
 $-7$

$5x+8$   
 $5(-4)+8$   
 $-20+8$   
 $-12$

$5x+8$   
 $5(-5)+8$   
 $-25+8$   
 $-17$

$y = -7x + 10$

Some ordered pairs in the relation are:  
 $(-1, 17)$ ,  $(0, 10)$ ,  $(1, 10)$ ,  $(2, -4)$ ,  $(-11, 4)$

Find the missing numbers in the ordered pairs  
 $-7(1) + 10$   
 $-7 + 10$   
 $3$

$-11 = -7x + 10$   
 $-21 = -7x$   
 $\frac{-21}{-7} = \frac{-7x}{-7}$   
 $3 = x$

4. The cost of parking at the airport is \$15 the first day, plus \$6 for each additional day. An equation for this relation is  $C = 15 + 6a$ , where  $a$  represents the number of additional days, and  $C$  represents the total cost of the parking.

  - a) Use the equation to create a table of values.
  - b) Hank parked for 14 additional days. How much did Hank spend on parking?
  - c) Senator spent \$207 on parking. How many rides did he park?

C = 15 + 6q	
a) additional charge	
0	15
1	21
2	27
3	33
4	39
5	45
6	51

$$\text{B) } \begin{aligned} a &= 14 \\ C &= \frac{15+69}{15+6}(14) \\ &= 15 + 84 \\ &= 99 \end{aligned}$$

Hank spent \$99 on parking  
for 14 additional days

$$d) C = 15 + 6q$$

$$207 = 15 + 6a$$

$$207^{15} = 15^{-15} + b_9$$

$$\frac{192}{b} = \frac{6a}{b}$$

32

If Senator spent  
\$207 on parking  
then he had 32  
additional days.


Ex 1)


Graph  $y = 3x$ 


a) Create a table of values

b) Graph the relation

c) Describe the relations








Ex) 2

Graph  $y = -2x + 4$ 

a) Create a table of values

b) Graph the relation

c) Describe the relations



$$y = -2x + 4$$

$$x = -2$$

$$y = -2(\underline{2}) + 4$$

$$\underline{-4} + 4$$

$$= 8$$

$$(-2, 8)$$

$$y = -2x + 4$$

$$x = -1$$

$$y = -2(\underline{1}) + 4$$

$$\underline{-2} + 4$$

$$= 6$$


$$y = -2x + 4$$

$$x = 0$$

$$y = -2(\underline{0}) + 4$$

$$\underline{0} + 4$$

$$= 4$$



### Discrete vs. Continuous

For word problems


**Discrete** means you do not connect the dots (since you can not have part of your x variable)

ex) Graphing how many people attended a dance. (Can't have half a person)


fix  
↓

**Continuous** means you connect the dots (since you can ~~not~~ have part of your x variable)

ex 1) Graphing how many hours. (Can have half a hour)



- Describe the patterns on the graph. **Straight line of Dots**
- What is the cost of one slice of pizza? **\$ 3**
- What is the relationship between the number of slices and the cost?  **$n \times 3$**
- Make a table of values from the graph.
- If 7 slices of pizza are purchased, what is the cost?



# of Slices	Cost
$x$	$y$
0	0
1	3
2	6
3	9
4	12
5	15

$$7 \times 3 \\ \$21$$

# Class/Homework

Page 363

# 4, #5(a,~~b,c~~,g), #6(a,~~b,c,f~~), #7, #8, #9, ~~#10~~

5a)  $y=2x$

X	Y	
0	0	2(0)
1	2	2(1)
2	4	2(2)
3		
4		
5		

Part 2 Test Wednesday Oct 23

Read group  
Solve for work